



NOTICE

DO NOT REMOVE SIGNS OR MAPS UNTIL ALL WATER USE RESTRICTIONS HAVE EXPIRED

This area of Lake Isabella will be treated with Aquatic Herbicides on **06/11/19**

WATERBODY

MONTH/DAY/YEAR

for the control of an aquatic nuisance under: (select one of the following)

- DEQ Permit No. ANC9803457
- DEQ Certificate of Coverage:
- Permit by Rule, pursuant to R323.3102 (2)

The following water use restrictions apply through the expiration date indicated below:

Check all that apply	Chemical product / active ingredient	Chemical Trade Name(s) such as:	Do not use this water for swimming and bathing until	Do not use this water for ornamentals or turf irrigation until	Do not use this water for domestic purposes or agricultural irrigation until	Do not use this water for livestock watering or similar purposes until
	Adjuvant	Cygnat Plus, Polyan, Agridex	N/A	N/A	N/A	N/A
	Chelated Copper	Citrine Plus, Captain, Symmetry	06/12/19	N/A	N/A	N/A
	Copper Sulfate	Old Bridge, Triangle Brand	N/A	N/A	N/A	N/A
	Diquat Dibromide	Tribune, Reward, Redwing, Solera	06/12/19	06/16/19	06/16/19	06/16/19
	Endothall	Hydrothol 191	06/12/19	06/12/19	06/12/19	06/12/19
	Endothall	Aquathol K	06/12/19	06/12/19	06/12/19	06/12/19

NOTE: Enter date (month/day)

N/A = Not Applicable

INDEF = Indefinite

Company/Individual conducting treatment:

Name: **Savin Lake Services Inc.**
 Address: **3088 Hottis Road, Hale, MI 48739**
 Telephone: **Toll Free 1-877-SAV-LAKE**

Permit information:

DEQ
 Department of Environmental Quality
 Water Bureau
 PO Box 30273
 Lansing MI 48909-7773
 e-mail: DEQ.LWM-ANC@michigan.gov
 Phone: (517) 284-5593

The chemicals used for Aquatic Nuisance Control are registered by the U.S. Environmental Protection Agency and the Michigan Department of Agriculture. The potential for damage to fish and other non-target organisms is minimal provided that the product is used as directed on the product label and the permit. To minimize the possible effects on health and the environment, the treated water is restricted for the above purposes.

ATTACH TREATMENT MAP BELOW, IF REQUIRED